



Amphenol NEXUS Technologies, Incorporated

50 Sunnyside Ave.

Stamford, CT 06902

Phone: 203-327-7300

Fax: 203-324-7623

Email: salesinfo@nexus.com

Website: www.nexus.com

Telephone Jacks



1

Item #	Item Name	Conductors	Overall Width	Overall Height	Overall Length	Contact Diameter	Contact Length
<u>TJ-101</u>	Telephone In-Line Jack	4	.625 in	.625 in	2.234 in	.285 in	N/A
<u>TJ-105</u>	Telephone In-Line Jack	5	.625 in	.625 in	2.375 in	.285 in	N/A
<u>TJ-106</u>	Telephone In-Line Jack Biaxial Shielded	6	.750 in	1.500 in	2.609 in	.285 in	N/A
<u>TJ-106 PM</u>	Telephone Jack Biaxial Shielded	6	1.344 in	1.500 in	1.766 in	.285 in	N/A
<u>TJ-108</u>	Biaxial Shielded Telephone Jack	8	.750 in	1.500 in	2.609 in	.285 in	N/A
<u>TJ-108 PM</u>	Biaxial Shielded Telephone Jack	8	1.344 in	1.500 in	1.766 in	.285 in	N/A

Item #	Item Name	Conductors	Overall Width	Overall Height	Overall Length	Contact Diameter	Contact Length
<u>TJ-120</u>	Flanged Rear-Mounted Jack	4	.625 in	1.188 in	1.125 in	.285 in	.188 in
<u>TJG-120</u>	Flanged Rear-Mounted Jack with Switches	5	.625 in	1.188 in	1.312 in	.285 in	.375 in
<u>TJGT-120</u>	Threaded Front-Mounted Jack with Switches	5	.719 in	.719 in	1.312 in	.285 in	.375 in
<u>TJS-102</u>	Telephone Jack Switch	4	1.625 in	2.156 in	2.359 in	.285 in	N/A
<u>TJS-105</u>	Telephone Jack Switch	5	1.625 in	2.156 in	2.359 in	.285 in	N/A
<u>TJS-106</u>	Telephone Jack Switch Biaxial Shielded with Clothing Clip	6	2.281 in	2.000 in	2.641 in	.285 in	N/A
<u>TJS-108</u>	Telephone Jack Biaxial Shielded	8	2.281 in	2.000 in	2.641 in	.285 in	N/A
<u>TJS-120</u>	Flanged Rear-Mounted Jack with Switches	5	.625 in	1.188 in	1.312 in	.285 in	.375 in
<u>TJSS-106</u>	Telephone Jack Two Switches Biaxial Shielded	6	1.047 in	1.969 in	2.609 in	.285 in	N/A
<u>TJSS-108</u>	Telephone Jack Biaxial Shielded	8	1.047 in	1.969 in	2.609 in	.285 in	N/A
<u>TJST-120</u>	Threaded Front-Mounted Jack	5	.719 in	.719 in	1.312 in	.285 in	.375 in

Item #	Item Name	Conductors	Overall Width	Overall Height	Overall Length	Contact Diameter	Contact Length
with Switches							
<u>TJT-102</u>	Threaded Telephone Jack	4	.719 in	.719 in	1.391 in	.285 in	N/A
<u>TJT-105</u>	Threaded Telephone Jack	5	.688 in	.688 in	1.563 in	.285 in	N/A
<u>TJT-120</u>	Threaded Front-Mounted Jack	4	.719 in	.719 in	1.125 in	.285 in	.188 in
<u>TJT-125</u>	Threaded Telephone Jack	5	.750 in	.750 in	1.281 in	.285 in	N/A